MEMORANDUM

TO: Terry Taylor

DATE: February 19, 2012

Anderson, Mulholland and Associates

FROM: R. Infante

FILE: JA98695

RE:

Data Validation

BMSMC, Building 5 Area, PR

SM04.00.06

Accutest Job Number: JA98695

SUMMARY

Full validation was performed on the data for (2) soil samples for selected volatile organic compounds using EPA method SW-846 8260B and for alcohols (methanol and isopropyl alcohol) by EPA method SW-846 8015 (DAI). The samples were collected at the BMSMC Building 5 Area in Humacao, PR on February 2, 2012 and submitted to Accutest Laboratories that analyzed and reported the results under delivery group (SDG) JA98695.

The sample results were assessed according to USEPA data validation guidance documents in the following order of precedence: USEPA Region 2, SOP HW-24, Standard Operating Procedure for the Validation of Organic Data Acquired using SW-846 Method 8260B (August 2009 Revision 2) and the USEPA National Functional Guidelines for Low/Medium Concentration Organic Data Review (SOW SOM01.2 SOP HW-33, August 2009 - Revision 2), the USEPA National Functional Guidelines for Organic Data Review for Low Concentration Water (SOP HW-13, August 2009-Revision 3)", (noted herein as the "primary guidance document"). Also the QC criteria from "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW-846 (Final Update III, December 1996)". The guidelines were modified to accommodate the non-CLP methodology. The QC criteria and data validation actions listed on the data review worksheets are from the primary guidance document, unless otherwise noted.

In general the data is valid as reported and may be used for decision making purposes. The data results are acceptable for use. Some of the results were qualified.

SAMPLES

The samples included in the review are listed below

FIELD SAMPLE ID	LABORATORY ID	ANALYSIS
I-7A	JA98695-1	VOCs, ALCOHOLS
I-1R3A	JA98695-2	VOCs, ALCOHOLS

REVIEW ELEMENTS

Sample data were reviewed for the following parameters, where applicable to the method

- o Agreement of analysis conducted with chain of custody (COC) form
- o Holding time and sample preservation
- o Gas chromatography/mass spectrometry (GC/MS) tunes
- o Initial and continuing calibrations
- o Method blanks/trip blanks/field blank
- Surrogate spike recovery
- Matrix spike/matrix spike duplicate (MS/MSD) results
- o Internal standard performance
- o Field duplicate results
- o Laboratory control sample/laboratory control sample duplicate (LCS/LCSD) results
- o Quantitation limits and sample results

DISCUSSION

Agreement of Analysis Conducted with COC Request

Sample reports corresponded to the analytical request designated on the chain-of-custody form. However, the sample identified as A-1R3A was reported as I-1R3A.

Holding Times and Sample Preservation

The cooler temperatures were within the QC acceptance criteria of $4^{\circ}\text{C} \pm 2^{\circ}\text{C}$.

Sample preservation was acceptable.

Samples analyzed within method recommended holding time.

GC/MS Tunes

The frequency and abundance of bromofluorobenzene (BFB) tunes were within the QC acceptance criteria. All samples were analyzed within the tuning criteria associated with the method.

Initial and Continuing Calibrations

VOCs

The percent relative standard deviations (%RSDs) and response factors (RFs) of all target analytes were within the QC acceptance criteria in the initial calibration. Correlation coefficients (r²) of target analytes were within the QC acceptance criteria. Ongoing accuracy of the instrument was determined by the analysis of a continuing calibration standard. All initial and continuing calibrations met the acceptance criteria.

Alcohols

The percent relative standard deviations (%RSDs) and response factors (RFs) of all target analytes were within the QC acceptance criteria in the initial calibration. Correlation coefficients (r²) of target analytes were within the QC acceptance criteria. Ongoing accuracy of the instrument was determined by the analysis of a continuing calibration standard. All initial and continuing calibrations met the acceptance criteria

Method Blank/Trip Blank/Field Blank

Target analytes were not detected in laboratory method blanks for VOCs and alcohols.

No trip/field/equipment blanks associated with this data set (VOCs and alcohols).

Surrogate Spike Recovery

The surrogate recoveries were within the laboratory QC acceptance limits in all samples analyzed for VOCs.

The surrogate recoveries were within the laboratory QC acceptance limits in all samples analyzed for alcohols except for the following:

• % recovery for Hexanol in sample JA98695-1 outside the control limits; 42, control limits: 58 - 137 %. No action taken; recoveries within control limits in signal #2.

MS/MSD

VOCs

Matrix spike was performed on samples JA98960-6MS/6MSD and JA98956-3MS/-3MSD were within laboratory control except for the following:

JA98956-3MS/-3MSD

MS OR MSD	COMPOUND	% R	RPD	QC LIMITS	ACTION
_MS	_ACETONE	_236	1	2189	_Qualify_result_(J)

Results qualified (J) for acetone in sample JA98695-2.

Alcohols

Matrix spike was performed on samples JA98540-8MS/8MSD and JA98540-2MS/-2MSD. Recoveries and RPD for the MS/MSD were within laboratory control limits except for the followings:

JA98540-2MS/-2MSD

MS OR MSD	COMPOUND	% R	RPD	QC LIMITS	ACTION
_MS	_METHANOL	_193		_39160	_No_action
_MSD		195		ni niya yin min din min din ma alka ka Min	

No action taken; methanol was not detected in the samples.

Internal Standard Performance

VOCs

Samples were spiked with the method specified internal standard. Internal standard performance met the QC acceptance criteria in all sample analyses.

Laboratory/Field Duplicate Results

Laboratory duplicate associated with data package were samples JA98956-8/-8DUP (VOCs); no field/laboratory duplicates analyzed for alcohols. VOCs RPD results were within laboratory and generally acceptable control limits. MS/MSD results were used to assess precision for alcohols, RPD results were within laboratory and generally acceptable control limits.

LCS/LCSD Results

VOCs

The laboratory analyzed one LCS (blank spike) associated with each matrix from this data set. The % recoveries of all spiked analytes were within the laboratory QC acceptance limits.

Alcohols

The laboratory analyzed one LCS (blank spike) associated with each matrix from this data set. The % recoveries of all spiked analytes were within the laboratory QC acceptance limits.

Quantitation Limits and Sample Results

Dilutions were not required with this data set.

Calculations were spot checked.

Certification

The following samples JA98695-1 and JA98695-2 were analyzed following standard procedures accepted by regulatory agencies. The quality control requirements met the methods criteria except in the occasions described in this document. The results are valid.

iael Intante

Rafael Infante

Chemist License 1888

Client Sample ID: I-7A
Lab Sample ID: JA98695-1
Matrix: SO - Soil
Method: SW846 826

SW846 8260B SW846 5035

Date Sampled: 02/02/12 Date Received: 02/04/12 Percent Solids: 82.3

Project:

BMSMC, Building 5 Area, PR

Prep Date Prep Batch Analytical Batch File ID DF Analyzed Ву X123648.D 02/11/12 02/04/12 14:00 VX5283 Run #1 1 **TYG** n/a Run #2

Initial Weight Run #1 5.5 g

Run #2

VOA Special List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	11	7.3	ug/kg	
71-43-2	Benzene	ND	1.1	0.15	ug/kg	
100-41-4	Ethylbenzene	ND	1.1	0.16	ug/kg	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.5	2.9	ug/kg	
108-88-3	Toluene	ND	1.1	0.42	ug/kg	
1330-20-7	Xylene (total)	ND	1.1	0.20	ug/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Lim	its	
1868-53-7	Dibromofluoromethane	106%		67-1	31%	
17060-07-0	1,2-Dichloroethane-D4	95%		66-1	30 %	
2037-26-5	Toluene-D8	114%		76-1	25%	
460-00-4	4-Bromofluorobenzene	99%		53-1	42%	



ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound

Accutest LabLink@658230 12:34 17-Feb-2012

Report of Analysis

By

XPL

n/a

Page 1 of 1

Client	Sample	ID:	I-7A
--------	--------	-----	------

Lab Sample ID:

JA98695-1 SO - Soil

Date Received:

Date Sampled: 02/02/12

GGH3960

Matrix: Method:

SW846-8015 (DAI)

DF

1

Percent Solids: 82.3

n/a

02/04/12

Project:

BMSMC, Building 5 Area, PR

Prep Date Prep Batch **Analytical Batch**

Run #1 Run #2

Initial Weight Run #1 5.0 g

File ID

GH86344.D

Run #2

MDL CAS No. Compound Result RL Units Q 120 ug/kg 67-63-0 Isopropyl Alcohol ND 46

Analyzed

02/09/12

62 67-56-1 Methanol ND 240 ug/kg

CAS No. Surrogate Recoveries Run#1 Run#2 Limits 111-27-3 Hexanol 42% a 58-137% 111-27-3 Hexanol 61% 58-137%

(a) Outside in house QC limits. Data reported from the second channel.



B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: I-1R3A Lab Sample ID: JA98695-2 Matrix: SO - Soil Method: SW846 8260B SW846 5035 Project: BMSMC, Building 5 Area, PR			Date Sampled: Date Received: Percent Solids:				
Run #1 Run #2	File ID V124257A.D	DF 1	Analyzed 02/13/12	By CL	Prep Date 02/04/12 14:00	Prep Batch n/a	Analytical Batch VV5348
Run #1	Initial Weight 5.8 g						

Run #2

VOA	Special	T ict
VUA	ODECIAL	TIBL

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1 71-43-2 100-41-4 108-10-1 108-88-3 1330-20-7	Acetone Benzene Ethylbenzene 4-Methyl-2-pentanone(MIBK) Toluene Xylene (total)	29.6 J ND 12.1 ND ND 34.6	11 1.1 1.1 5.4 1.1	7.1 0.14 0.16 2.8 0.41 0.20	ug/kg ug/kg ug/kg ug/kg ug/kg ug/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Lim	0 0	
1868-53-7 17060-07-0 2037-26-5 460-00-4	Dibromofluoromethane 1,2-Dichloroethane-D4 Toluene-D8 4-Bromofluorobenzene	105% 99% 110% 99%		76-1	31% 30% 25% 42%	



B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound



Accutest LabLink@658230 12:34 17-Feb-2012

Report of Analysis

Page 1 of 1

Client Sample ID:	I-1R3A
Lab Sample ID:	JA98695
Matrix:	SO - So

JA98695-2 SO - Soil

Date Sampled: 02/02/12 Date Received: 02/04/12

Method:

SW846-8015 (DAI)

Percent Solids: 80.4

Project:

BMSMC, Building 5 Area, PR

	File ID	DF	Analyzed	Ву	Prep Date	Prep Batch	Analytical Batch
Run #1	GH86291.D	1	02/07/12	XPL	n/a	n/a	GGH3957
D 42							

K	un	#	Z

[Initial Weight
Run #1	5.0 g
Run #2	ū
	

CAS No.	Compound	Result	RL	MDL	Units	Q
67-63-0 67-56-1	Isopropyl Alcohol Methanol	ND ND	120 250	47 64	ug/kg ug/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	. Lim	its	
111-27-3 111-27-3	Hexanol Hexanol	90% 112%			1 37 %	



ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound



	SLL ACCUTEST:			CHAI 2235 Ro 732-329-	oute 13 0200	0, Day	yton, N	J 08	8810)	180			,		374	421	177	ц		rder Con	trol #	198		F
(District)	0117/41970							(015)	148.61	355	119191	1147.VI	877.A3	-326	Boo	worto	d Arrest	vele /	eee T	EST C	ODE	sheet)			
IA	ny Name 4 AZ	Project Name:	5-Bc.1		Informa							omie Pitt			Rec	unster	Alla	ysis	age I	231 0					DW - Drinking Water GW - Ground Water WW - Water
Street A	Corporate Park D.	Street		_	Distance		がいいされ on (W diffi					11112	No.	3						l		İ		, 1	SW - Surface Water SO - Soil
Cay	State Zip	Human		State	Compan		on ; = usi	3 8 C 1 BAL 1	11441	-				13		1					İ			1	SL-Studge SED-Sediment
W	16 9 EM 10009	MUMA!	90	PR	Street A	Ninose								オジェ		l	1				l				OI - Oil LIQ - Other Liquid
Protect 1 - C	Contact Toylor	PTDRECL#												4	Ι.	ļ	ŀ				1	1			AIR - Air SOL - Other Solid
Phone !	1. Bulding 5	Client Purchase	Order#		City				State			Zie	•	\\ \a	-0										WP - Wipe FB-Fleld Blank EB-Equipment Blank
Sample	TEN Namphel Phone #	Project Manage		Collection	Attention	T:					preserv		et e e	\\\	S										RB-Rinse Stank TB-Trip Blank
Accusant	Finish Deleted College	MECH/DI Visi #		Time	Sampled		ø of battle	Ę	HO H	T.,	П	<u>-</u> T	ENCORE	\vec{y}{z}	2										LAB USE ONLY
Service P	Field ID / Point of Collection	MECHICI WALF	zhhon		UK	80	5	Ĭ Ō		╀	Z	3 3	12	1.7	5	├─			-	├	-	 			
<u></u>	A-183A	 	2/2/2012		PR.	50	5	╁┤	+	+	5	┿	3	Ŭ	×,		-	├		 	\vdash	-	\vdash	$\neg \neg$	% 10
-2	A-IKSFI 4	 	CICIDIZ	1040	ib.c	00	3	Н	+	╀	Ħ	+	11	+~	V.	 		-	_	 	 			\neg	14 F 3
-		 	 	-	-	\vdash	 	Н	+	╁	╁	+	╁┼	+-	\vdash	┼			-		 	 	H		4088
-		 			+	\vdash	 	┨	+	╁	Η	╫	++	╁	\vdash	 		-	 		-	-	H		4000
├		 	├ ───	<u> </u>	+		┼	Н	+	╁	╁┼	╫	++	┿	\vdash	 	-	\vdash	-		1	 	\vdash	\vdash	
		 	 		┼	├─	┼	╁┤	+	╁	Н	+	╁┼	+	⊢	┼──	├		-		┼		\vdash		
<u> </u>		<u> </u>	 	ļ	 	 	├	╂┤	+	╁	╁	+	╁┼	+	-	┼─	-	 			 			М	
<u> </u>		<u> </u>			┼		├	╂╼╂	+	╁	╁	+	╁┼	+-	┝╌	╁	 			├	╁	\vdash		г	
-			-		\vdash	├	-	╀┤	+	╁	Н	+	╁╂		\vdash	\vdash		├		 	 	 		_	
<u> </u>		-	 		┼	-	 	H	+	╁	Н	+	╁┼	╅┈	-	┼	-	├	\vdash	├	+	-			
<u></u>		ļ	ļ		┼		 	╂╌╢	+	╁	Н	╅	╁┼	+-	├	┼	 	-	-	├	 	\vdash	╁	-	
SUPPLE	Turneround Time (Business days)	STATE STATE OF THE	t signification	errencia de la companya della companya della companya de la companya de la companya della compan	MARKET STREET		Date	Deli	verabi	e int	format			1663	特制	ANA SE	erica)	near.	Сол	ments	/ Speci	al Instru	ctions	e that	MENTAL CHESTON
	Std. 16 Business Days Std. 10 Business Days (by Contract only)	Approved By (Acc		-711703111-E-14		Commer	다하 "B" (igory A igory B		22	<u>ري د</u>	- 1	<u>ኔ</u> ገ	٤X	A	برمل	e 1	M١	<u>er</u>
Į.	10 Day RUSH						(Level 3	4)			_		Forms			. 5	EL	e.on	Es	e de la	B)	Tedos	_		
	6 Day RUSH 3 Day EMERGENCY				,	NJ Redu Commer					_	EDD Othe	Forma r	'		\vdash		- "		100		TIL			·-··
1	2 Day EMERGENCY						Commer				Only					_									
	1 Cay EMERGENCY ergency & Rush T/A data available VIA Lablink				L		Commer NJ Redu	ced =	Resul	ts + (C Su	nenae	y + Par							·					The second
	(- (- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		male Cunted and										1	L-B								Control of the second			

FedEx

JA98695: Chain of Custody Page 1 of 2

On ice Cooler Temp.

Project Number:_JA98695 Date: 02/02/2012	
Date:_02/02/2012	ntior med g to SOF thoo lium EPA just nica The
Lab. Project/SDG No.:JA98695 Sample matrix:SOIL No. of Samples:2	
Trip blank No.: Field blank No.: Equipment blank No.: Field duplicate No.:	
X Data Completeness X Laboratory Control SpikesX Holding Times X Field Duplicates X Calibrations X Calibrations X Compound Identifications X Blanks X Compound Quantitation X Surrogate Recoveries X Quantitation Limits X Matrix Spike/Matrix Spike Duplicate X Compound Comments:_isopropyl_alcohol_and_methanol_by_SW-846_8015_(DAI)	
Definition of Qualifiers: J- Estimated results U- Compound not detected R- Rejected data UJ- Estimated nondetect Reviewer: Date: 02/19/2012	

DATA COMPLETENESS

MISSING INFORMATION	DATE LAB. CONTACTED	DATE RECEIVED

All criteria were metX
Criteria were not met
and/or see below

HOLDING TIMES

The objective of this parameter is to ascertain the validity of the results based on the holding time of the sample from time of collection to the time of analysis.

Complete table for all samples and note the analysis and/or preservation not within criteria

SAMPLE ID	DATE SAMPLED	DATE ANALYZED	pН	ACTION
All samp	 	 vithin the recommen	ıded me	ethod holding time.
			-	

Criteria

Aqueous samples – 14 days from sample collection for preserved samples (pH \leq 2, 4°C), no air bubbles.

Aqueous samples – 7 days from sample collection for unpreserved samples, 4°C, no air bubbles. Soil samples- 7 days from sample collection.

Cooler temperature (Criteria: 4 + 2 °C) – 2°C

Actions

If the VOCs vial(s) have air bubbles, estimate positive results (J) and reject nondetects (R).

If the % solids of soil samples is 10-50%, estimates positive results (J) and nondetects (UJ)

If the % solid of soil samples is < 10%, estimate positive results (J) and reject nondetects (R).

If holding times are exceeded but < 14 days beyond criteria, estimate positive results (J) and nondetects (UJ).

If holding times are exceeded but < 28 days beyond criteria, estimate positive results (J) and reject nondetects (R).

If holding times are grossly exceeded (> 28 days beyond criteria), reject all results (R).

If samples were not iced or if the ice were melted (> 10°C), estimate positive results (J) and nondetects (UJ).

			All criteria were metN/A were not met see below
GC/MS TUNING			
The assessment standard tuning (•	determine if the sample instrume	ntation is within the
N/A_ The BFE	performance results were re	eviewed and found to be within the	e specified criteria.
N/A_ BFB tun	ing was performed for every	12 hours of sample analysis.	
If no, use profes qualified or rejec		ne whether the associated data s	should be accepted,
List	the	samples	affected:

If mass calibration is in error, all associated data are rejected.

All criteria were metX
Criteria were not met
and/or see below

CALIBRATION VERIFICATION (VOCs)

Compliance requirements for satisfactory instrument calibration are established to ensure that the instrument is capable of producing and maintaining acceptable quantitative data.

Date of initial calibration:	_01/12/2012		
Dates of continuing calibration:	_02/07/2012	_02/09/2012_	
Instrument ID numbers:	_GCGH		
Matrix/Level: AQUEOUS/LOW			
_			

DATE	LAB FILE ID#	CRITERIA OUT RFs, %RSD, %D, r	COMPOUND	SAMPLES AFFECTED
		RES, MRSD, MD, 1		AFFECTED
A1.1 IN	UTIAL AND CON	TINI IINO CALIDDATIONA	ACET METHOD ODE	OIFIC ODITEDIA
ALL IN	THAL AND CON	TINUING CALIBRATION N	METHOD SPE	CIFIC CRITERIA
:				

Criteria

All RFs must be > 0.05 regardless of method requirements for SPCC.

All %RSD must be \leq 15 % regardless of method requirements for CCC.

All %Ds must be < 20% regardless of method requirements for CCC.

It should be noted that Region 2 SOP HW-33 does not specify criterion for the curve correlation coefficient (r). A limit for r of > 0.995 has therefore been utilized as professional judgment.

Actions

If any compound has an initial RF or a continuing RF of < 0.05, estimate positive results (J) and reject nondetects (R), regardless of method requirements.

If any compound has a %RSD > 15%, estimate positive results (J) and use professional judgment to qualify nondetects.

If any compound has a %RSD > 90%, estimate positive results (J) and reject nondetects (R).

If any compound has a % D > 20%, estimate positive results (J) and reject nondetects (R).

If any compound has a % D > 20%, estimate positive results (J) and nondetects (UJ).

If any compound has a % D > 90%, estimate positive results (J) and reject nondetects (R).

If any compound has r > 0.995, estimate positive results and nondetects.

A separate worksheet should be filled for each initial curve

All criteria were met __X__ Criteria were not met and/or see below ____

V A. BLANK ANALYSIS RESULTS (Sections 1 & 2)

The assessment of the blank analysis results is to determine the existence and magnitude of contamination problems. The criteria for evaluation of blanks apply only to blanks associated with the samples, including trip, equipment, and laboratory blanks. If problems with any blanks exist, all data associated with the case must be carefully evaluated to determine whether or not there is an inherent variability in the data for the case, or if the problem is an isolated occurrence not affecting other data.

List the contamination in the blanks below. High and low levels blanks must be treated separately.

Laboratory blanks

DATE ANALYZED	LAB ID	LEVEL/ MATRIX	COMPOUND	CONCENTRATION UNITS
	All method bla		atch meet method spe	
Field/Equipmen				
DATE ANALYZED	LAB ID	LEVEL/ Matrix	COMPOUND	CONCENTRATION UNITS
No_trip_blar	nk/equipment/fi	eld_blank_analy	/zed_as_part_ofthis_	data_package
		 		

All criteria were metX
Criteria were not met
and/or see below

VB. BLANK ANALYSIS RESULTS (Section 3)

Blank Actions

Action Levels (ALs) should be based upon the highest concentration of contaminant determined in any blank. Do not qualify any blank with another blank. The ALs for samples which have been diluted should be corrected for the sample dilution factor and/or % moisture, where applicable. No positive sample results should be reported unless the concentration of the compound in the samples exceeds the ALs:

ALs = 10x the amount of common contaminants (methylene chloride, acetone, 2-butanone, and toluene)

ALs = 5x for any other compounds

Specific actions are as follows:

If the concentration is < sample quantitation limit (SQL) and \le AL, report the compound as not detected (U) at the SQL.

If the concentration is \geq SQL but \leq AL, report the compound as not detected (U) at the reported concentration.

If the concentration is \geq SQL and > AL, report the concentration unqualified.

Notes:

High and low level blanks must be treated separately

Compounds qualified "U" for blank contamination are still considered "hits" when qualifying for calibration criteria.

CONTAMINATION SOURCE/LEVEL	COMPOUND	CONC/UNITS	AL/UNITS	SQL	AFFECTED SAMPLES
-					***
	_				
	<u> </u>				

All criteria were met _____ Criteria were not met and/or see below ___X

SURROGATE SPIKE RECOVERIES

Laboratory performance of individual samples is established by evaluation of surrogate spike recoveries. All samples are spiked with surrogate compounds prior to sample analysis. The accuracy of the analysis is measured by the surrogate percent recovery. Since the effects of the sample matrix are frequently outside the control of the laboratory and may present relatively unique problems, the validation of data is frequently subjective and demands analytical experience and professional judgment.

List the percent recoveries (%Rs) which do not meet the criteria for surrogate recovery. Matrix: solid/aqueous

SAMPLE ID		SURROGA	TE COMPOUND		ACTION
!	1,2-DCA	DBFM	TOL-d8	BFB	
JA94812-1				42%	No_action
				· · · · · · · · · · · · · · · · · · ·	taken
Surrogate_Hexan	ol		. ,		
QC Limits* (Aqueous	s)				
LL_to_UL		to	to	to	
QC Limits* (Solid-Lo	w)				
LL_to_UL	to	to	to	58to_	_137
QC Limits* (Solid-Me	ed)				
LL_to_UL	to	to	to	to	
1,2-DCA = 1,2-Dichl	oromethane-d	14	TOL-d8 =	= Toluene-d8	
DBFM = Dibromoflu			BFB = Bi	romofluorobei	nzene

- * QC limits are laboratory in-house performance criteria, LL = lower limit, UL = upper limit.
- * If QC limits are not available, use limits of 80 120 % for aqueous and 70 130 % for solid samples.

Actions:

QUALITY	%R < 10%	%R = 10% - LL	%R > UL
Positive results	J	J	J
Nondetects results	R	UJ	Accept

Surrogate action should be applied:

If one or more surrogate in the VOC fraction is out of specification, but has a recovery of > 10%. If any one surrogate in a fraction shows < 10 % recovery.

All criteria were met	
Criteria were not met	
and/or see belowX	_

VII. A MATRIX SPIKE/MATRIX SPIKE DUPLICATE (MS/MSD)

This data is generated to determine long term precision and accuracy in the analytical method for various matrices. This data alone cannot be used to evaluate the precision and accuracy of individual samples. If any % R in the MS or MSD falls outside the designated range, the reviewer should determine if there are matrix effects, i.e. LCS data are within the QC limits but MS/MSD data are outside QC limit.

1. MS/MSD Recoveries and Precision Criteria

The laboratory should use one MS and a duplicate analysis of an unspiked field sample if target analytes are expected in the sample. If target analytes are not expected, MS/MSD should be analyzed.

List the %Rs, RPD of the compounds which do not meet the criteria.

•	540-8MS/8MSD 540-2MS/2MSD	-		Level:_Soil/lov Level:_Soil/lov	
MS OR MSD JA98540-2MS/-2N	COMPOUND ISD	% R	RPD	QC LIMITS	ACTION
_MS _MSD	METHANOL	193_ 195_		_39-160	_No_action_taken

- * QC limits are laboratory in-house performance criteria, LL = lower limit, UL = upper limit.
- * If QC limits are not available, use limits of 70 130 %.

Actions:

QUALITY	%R < LL	%R > UL
Positive results	J	J
Nondetects results	R	Accept

MS/MSD criteria apply only to the unspiked sample, its dilutions, and the associated MS/MSD samples:

If the % R for the affected compounds were < LL (or 70 %), qualify positive results (J) and nondetects (UJ).

If the % R for the affected compounds were > UL (or 130 %), only qualify positive results (J).

If 25 % or more of all MS/MSD %R were < LL (or 70 %) or if two or more MS/MSD %Rs were < 10%, qualify all positive results (J) and reject nondetects (R).

A separate worksheet should be used for each MS/MSD pair.

All criteria were metX
Criteria were not met
and/or see below

VII. B MATRIX SPIKE/MATRIX SPIKE DUPLICATE

MS/MSD – Unspiked Compounds

It should be noted that Region 2 SOP HW-24 does not specify a MS/MSD criteria for the unspiked compounds in the sample. A %RSD of < 50% has therefore been utilized as professional judgment.

If all target analytes were spiked in the MS/MSD, this review element is not applicable.

List the %RSD of the compounds which do not meet the criteria.

Sample ID:	N/A		Matrix/Le	vel/Unit:	<u> </u>
COMPOUND	SAMPLE CONC.	MS CONC.	MSD CONC.	% RSD	ACTION

Actions:

^{*} If the % RSD > 50, qualify the positive result in the unspiked samples as estimated (J).

^{*} If the % RSD is not calculated (NC) due to nondetected value, use professional judgment to qualify the data.

All criteria were met _	_X
Criteria were not met	
and/or see below	

VIII. LABORATORY CONTROL SAMPLE (LCS) ANALYSIS

This data is generated to determine accuracy of the analytical method for various matrices.

1. LCS Recoveries Criteria

Where LCS spiked with the same analyte at the same concentrations as the MS/MSD? Yes or No. If no make note in data review memo.

List the %R of compounds which do not meet the criteria

	LCS ID	COMPOUND	% R	QC LIMIT
Rec	coveries_within_la	aboratory_control_limits		

- * QC limits are laboratory in-house performance criteria, LL = lower limit, UL = upper limit
- * If QC limits are not available, use limits of 70 130 %.

Actions:

QUALITY	%R < LL	%R > UL
Positive results	J	J
Nondetects results	R	Accept

All analytes in the associated sample results are qualified for the following criteria.

If 25 % of the LCS recoveries were < LL (or 70 %), qualify all positive results (j) and reject nondetects (R).

If two or more LCS were below 10 %, qualify all positive results as (J) and reject nondetects (R).

2. Frequency Criteria:

Where LCS analyzed at the required frequency and for each matrix? <u>Yes</u> or No. If no, the data may be affected. Use professional judgment to determine the severity of the effect and qualify data accordingly. Discuss any actions below and list the samples affected.

	ot .
Criteria were not m	
and/or see below _	
anaoi 000 bolon _	

All aritaria warm mat. V

IX.	LABORATORY/FIELD DUPLICATE PRECISION

Sample IDs:		Matrix:
-------------	--	---------

Field duplicates samples may be taken and analyzed as an indication of overall precision. These analyses measure both field and lab precision; therefore, the results may have more variability than laboratory duplicates which only laboratory performance. It is also expected that soil duplicate results will have a greater variance than water matrices due to difficulties associated with collecting identical field duplicate samples.

The project QAPP should be reviewed for project-specific information. Suggested criteria: RPD \pm 30% for aqueous samples, RPD \pm 50 % for solid samples. If both samples and duplicate are <5 SQL, the RPD criteria is doubled.

COMPOUND	SQL	SAMPLE CONC.	DUPLICATE CONC.	RPD ACTION		
	No field/laboratory duplicate analyzed as part of this data package. MS/MSD recoveries results					
used to asse	ess precision.	RPD within laborator	ry and generally accepta	able control limits		

Actions:

Qualify as estimated positive results (J) and nondetects (UJ) for the compound that exceeded the above criteria. For organics, only the sample and duplicate will be qualified.

If an RPD cannot be calculated because one or both of the sample results is not detected, the following actions apply:

If one sample result is not detected and the other is greater than 5x the SQL qualify (J/UJ).

If one sample value is not detected and the other is greater than 5x the SQL and the SQLs for the sample and duplicate are significantly different, use professional judgment to determine if qualification is appropriate.

If one sample value is not detected and the other is less than 5x, use professional judgment to determine if qualification is appropriate.

If both sample and duplicate results are not detected, no action is needed.

All criteria were metN/A
Criteria were not met
and/or see below

X. INTERNAL STANDARD PERFORMANCE

The assessment of the internal standard (IS) parameter is used to assist the data reviewer in determining the condition of the analytical instrumentation.

List the internal standard area of samples which do not meet the criteria.

- * Area of +100% or -50% of the IS area in the associated calibration standard.
- * Retention time (RT) within 30 seconds of the IS area in the associated calibration standard.

DATE	SAMPLE ID	IS OUT	IS AREA	ACCEPTABLE RANGE	ACTION
		· · · · · · · · · · · · · · · · · · ·			
·					
Actions:					· · · · · · · · · · · · · · · · · · ·

1. IS actions should be applied to the compound quantitated with the out-of-control ISs

QUALITY	IS AREA < -25%	IS AREA = -25 %	IS AREA > + 100%
		TO - 50%	
Positive results	J	J	J
Nondetected results	R	UJ	ACCEPT

2. If a IS retention time varies more than 30 seconds, the chromatographic profile for that sample must be examined to determine if any false positive or negative exists. For shifts of a large magnitude, the reviewer may consider partial or total rejection of the data for the sample fraction.

All criteria were met __X_ Criteria were not met and/or see below _____

XII. SAMPLE QUANTITATION

The sample quantitation evaluation is to verify laboratory quantitation results. In the space below, please show a minimum of one sample calculation:

JA98695-1 Hexanol (surrogate) RF = 61.69

[] = (130904)/(61.69)

[] = 2122 ppb OK

All criteria were met _	_X
Criteria were not met	
and/or see below	_

XII. QUANTITA	HON LIMIT	S
---------------	-----------	---

A. Dilution performed

SAMPLE ID	DILUTION FACTOR	REASON FOR DILUTION
	No dilutions pe	prformed
	NO dilutions pe	enomieu

B.	Percent Solids
	List samples which have ≤ 50 % solids
	N/A

Actions:

If the % solids of a soil sample is 10-50%, estimate positive results (J) and nondetects (UJ)

If the % solids of a soil sample is < 10%, estimate positive results (J) and reject nondetects (R) $\,$

	Project NumberJA96695
	Date:02/02/2012
REVIEW OF VOLATILE ORGA	NIC PACKAGE
The following guidelines for evaluating volatile organics wactions. This document will assist the reviewer in using prodecision and in better serving the needs of the data users. The USEPA data validation guidance documents in the following of HW-24, Standard Operating Procedure for the Validation of C8260B (August, 2009-Revision 2), the USEPA National Concentration Organic Data Review (SOW SOM01.2 SOP HN National Functional Guidelines for Organic Data Review for Lo2009-Revision 3). Also, QC criteria from "Test Methods for Methods SW-846 (Final Update III, December 1996)," specific QC criteria and data validation actions listed on the data revied document, unless otherwise noted. The hardcopied (laboratory name) _Accutestreviewed and the quality control and performance data summare.	ere created to delineate required validation of processional judgment to make more informed be sample results were assessed according to order of precedence: USEPA Region 2, SOP Organic Data Acquired using SW-846 Method at Functional Guidelines for Low/Medium N-33, August 2009 – Revision 2), the USEPA by Concentration Water (SOP HW-13, August, Evaluating Solid Waste, Physical/Chemical ally for Methods 8000/8260B are utilized. The new worksheets are from the primary guidance
Lab. Project/SDG No.:JA98695 No. of Samples:2	Sample matrix:Soil
Trip blank No.: Field blank No.: Equipment blank No.: Field duplicate No.:	
X Data CompletenessX Holding TimesX GC/MS TuningX Internal Standard PerformanceX BlanksX Surrogate RecoveriesX Matrix Spike/Matrix Spike Duplicate	XLaboratory Control SpikesX Field DuplicatesX CalibrationsX Compound IdentificationsX Compound QuantitationX Quantitation Limits
Overall Comments:_Selected_VOCs_by_SW846-8260B_	
Definition of Qualifiers: J- Estimated results U- Compound not detected R- Rejected data UJ- Estimated nondetect Reviewer:	
Date:02/19/2012_1/	

DATA COMPLETENESS

MISSING INFORMATION	DATE LAB. CONTACTED	DATE RECEIVED
		
AL		
		SU 112-00-00
	······································	
.		

All criteria were metX
Criteria were not met
and/or see below

HOLDING TIMES

The objective of this parameter is to ascertain the validity of the results based on the holding time of the sample from time of collection to the time of analysis.

Complete table for all samples and note the analysis and/or preservation not within criteria

SAMPLE ID	DATE SAMPLED	DATE ANALYZED	pН	ACTION
			_	
Al	<u> </u> I samples analyzed w	 vithin the recommended	method I	nolding time
	-			

<u>Criteria</u>

Aqueous samples – 14 days from sample collection for preserved samples (pH \leq 2, 4°C), no air bubbles.

Aqueous samples -7 days from sample collection for unpreserved samples, 4°C , no air bubbles.

Soil samples- 7 days from sample collection.

Cooler temperature (Criteria: 4 ± 2 °C): 2°C - OK

Actions

If the VOCs vial(s) have air bubbles, estimate positive results (J) and reject nondetects (R).

If the % solids of soil samples is 10-50%, estimates positive results (J) and nondetects (UJ)

If the % solid of soil samples is < 10%, estimate positive results (J) and reject nondetects (R).

If holding times are exceeded but < 14 days beyond criteria, estimate positive results (J) and nondetects (UJ).

If holding times are exceeded but < 28 days beyond criteria, estimate positive results (J) and reject nondetects (R).

If holding times are grossly exceeded (> 28 days beyond criteria), reject all results (R).

If samples were not iced or if the ice were melted (> 10°C), estimate positive results (J) and nondetects (UJ).

	Cri	Il criteria were metX teria were not met see below
Sample results qualified as estimated (J) in affect	cted samples.	
GC/MS TUNING		
The assessment of the tuning results is to det standard tuning QC limits	ermine if the sample instru	umentation is within the
XThe BFB performance results were review	ewed and found to be withir	the specified criteria.
XBFB tuning was performed for every 12	hours of sample analysis.	
If no, use professional judgment to determine qualified or rejected.	whether the associated da	ata should be accepted,
List the	samples	affected:
If mass calibration is in error, all associated data	are rejected.	•

All criteria were metX
Criteria were not met
and/or see below

CALIBRATION VERIFICATION

Compliance requirements for satisfactory instrument calibration are established to ensure that the instrument is capable of producing and maintaining acceptable quantitative data.

Date of initial calibration:	_01/12/12	_01/18/12
Dates of continuing calibration:	02/13/12	02/12/12
Instrument ID numbers:	GCMSV	GCMSX
Matrix/Level:Aqueous/low		

DATE	LAB ID#	FILE	CRITERIA OUT RFs, %RSD, <u>%D</u> , r	COMPOUND	SAMPLES AFFECTED
	Initi	al and c	ontinuing calibration me	eet method specific red	quirements

Criteria

All RFs must be > 0.05 regardless of method requirements for SPCC.

All %RSD must be < 15 % regardless of method requirements for CCC.

All %Ds must be < 20% regardless of method requirements for CCC.

It should be noted that Region 2 SOP HW-24 does not specify criterion for the curve correlation coefficient (r). A limit for r of > 0.995 has therefore been utilized as professional judgment.

Actions

If any compound has an initial RF or a continuing RF of < 0.05, estimate positive results (J) and reject nondetects (R), regardless of method requirements.

If any compound has a %RSD > 15%, estimate positive results (J) and use professional judgment to qualify nondetects.

If any compound has a %RSD > 90%, estimate positive results (J) and reject nondetects (R).

If any compound has a % D > 20%, estimate positive results (J) and reject nondetects (R).

If any compound has a % D > 20%, estimate positive results (J) and nondetects (UJ).

If any compound has a % D > 90%, estimate positive results (J) and reject nondetects (R).

If any compound has r > 0.995, estimate positive results and nondetects.

A separate worksheet should be filled for each initial curve

All criteria were metX
Criteria were not met
and/or see below

V A. BLANK ANALYSIS RESULTS (Sections 1 & 2)

The assessment of the blank analysis results is to determine the existence and magnitude of contamination problems. The criteria for evaluation of blanks apply only to blanks associated with the samples, including trip, equipment, and laboratory blanks. If problems with any blanks exist, all data associated with the case must be carefully evaluated to determine whether or not there is an inherent variability in the data for the case, or if the problem is an isolated occurrence not affecting other data.

List the contamination in the blanks below. High and low levels blanks must be treated separately.

Laboratory blanks

DATE ANALYZED	LAB ID	LEVEL/ MATRIX	COMPOUND	CONCENTRATION UNITS
	- -			
DATE Analyzed	LAB ID	LEVEL/ Matrix	COMPOUND	CONCENTRATION UNITS
No_trip/equipm	ent/field_blanks	_analyzed_with	n_this_data_package	

All criteria were metX
Criteria were not met
and/or see below

VB. BLANK ANALYSIS RESULTS (Section 3)

Blank Actions

Action Levels (ALs) should be based upon the highest concentration of contaminant determined in any blank. Do not qualify any blank with another blank. The ALs for samples which have been diluted should be corrected for the sample dilution factor and/or % moisture, where applicable. No positive sample results should be reported unless the concentration of the compound in the samples exceeds the ALs:

ALs = 10x the amount of common contaminants (methylene chloride, acetone, 2-butanone, and toluene)

ALs = 5x for any other compounds

Specific actions are as follows:

If the concentration is < sample quantitation limit (SQL) and \le AL, report the compound as not detected (U) at the SQL.

If the concentration is \geq SQL but \leq AL, report the compound as not detected (U) at the reported concentration.

If the concentration is \geq SQL and > AL, report the concentration unqualified.

Notes:

High and low level blanks must be treated separately

Compounds qualified "U" for blank contamination are still considered "hits" when qualifying for calibration criteria.

CONTAMINATION SOURCE/LEVEL	COMPOUND	CONC/UNITS	AL/UNITS	SQL	AFFECTED SAMPLES
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
			<u> </u>		
	' 				
	N 1, 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				

All criteria were metX
Criteria were not met
and/or see below

SURROGATE SPIKE RECOVERIES

Laboratory performance of individual samples is established by evaluation of surrogate spike recoveries. All samples are spiked with surrogate compounds prior to sample analysis. The accuracy of the analysis is measured by the surrogate percent recovery. Since the effects of the sample matrix are frequently outside the control of the laboratory and may present relatively unique problems, the validation of data is frequently subjective and demands analytical experience and professional judgment.

List the percent recoveries (%Rs) which do not meet the criteria for surrogate recovery. Matrix: solid/aqueous

SAMPLE ID	SURROGATE COMPOUND				
•	1,2-DCA	DBFM	TOL-d8	BFB	
_All_surrogate_reco	veries_withir	_laboratory_c	ontrol_limits		
					
		*·			
	· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·
	 			*** · · · · · · · · · · · · · · · · · ·	
QC Limits* (Aqueous	3)				
LL to UL	•	to	to	to	
QC Limits* (Solid-Lo					
LL to UL		to	to	to	
QC Limits* (Solid-Me					
LL_to_UL	•	to_	to	to	
1,2-DCA = 1,2-Dichle	oromethane.	d4	TOI -c	18 = Toluene-d8	3
DBFM = Dibromofluc		WП		Bromofluorobe	

- QC limits are laboratory in-house performance criteria, LL = lower limit, UL = upper limit.
- * If QC limits are not available, use limits of 80 120 % for aqueous and 70 130 % for solid samples.

Actions:

QUALITY	%R < 10%	%R = 10% - LL	%R > UL
Positive results	J	J	J
Nondetects results	R	UJ	Accept

Surrogate action should be applied:

If one or more surrogate in the VOC fraction is out of specification, but has a recovery of > 10%. If any one surrogate in a fraction shows < 10 % recovery.

All criteria were met
Criteria were not met
and/or see belowX

VII. A MATRIX SPIKE/MATRIX SPIKE DUPLICATE (MS/MSD)

This data is generated to determine long term precision and accuracy in the analytical method for various matrices. This data alone cannot be used to evaluate the precision and accuracy of individual samples. If any % R in the MS or MSD falls outside the designated range, the reviewer should determine if there are matrix effects, i.e. LCS data are within the QC limits but MS/MSD data are outside QC limit.

MS/MSD Recoveries and Precision Criteria

The laboratory should use one MS and a duplicate analysis of an unspiked field sample if target analytes are expected in the sample. If target analytes are not expected, MS/MSD should be analyzed.

List the %Rs, RPD of the compounds which do no Sample ID:JA98960-6			not meet the criteria. Matrix/Level:SOIL		
MS OR MSD	COMPOUND	% R	RPD	QC LIMITS	ACTION
_MS	ACETONE	190		12189	No_action;_acetone not_detected_in_
					sample_JA98695-1

Note: MS/MSD recoveries and RPD within laboratory control limits.

- * QC limits are laboratory in-house performance criteria, LL = lower limit, UL = upper limit.
- * If QC limits are not available, use limits of 70 130 %.

Actions:

QUALITY	%R < LL	%R > UL
Positive results	J	J
Nondetects results	R	Accept

MS/MSD criteria apply only to the unspiked sample, its dilutions, and the associated MS/MSD samples:

If the % R for the affected compounds were < LL (or 70 %), qualify positive results (J) and nondetects (UJ).

If the % R for the affected compounds were > UL (or 130 %), only qualify positive results (J).

If 25 % or more of all MS/MSD %R were < LL (or 70 %) or if two or more MS/MSD %Rs were < 10%, qualify all positive results (J) and reject nondetects (R).

A separate worksheet should be used for each MS/MSD pair.

All criteria were met
Criteria were not met
and/or see belowX

VII. A MATRIX SPIKE/MATRIX SPIKE DUPLICATE (MS/MSD)

This data is generated to determine long term precision and accuracy in the analytical method for various matrices. This data alone cannot be used to evaluate the precision and accuracy of individual samples. If any % R in the MS or MSD falls outside the designated range, the reviewer should determine if there are matrix effects, i.e. LCS data are within the QC limits but MS/MSD data are outside QC limit.

MS/MSD Recoveries and Precision Criteria

The laboratory should use one MS and a duplicate analysis of an unspiked field sample if target analytes are expected in the sample. If target analytes are not expected, MS/MSD should be analyzed.

	PD of the compounds 98956-3			t the criteria. /Level:SOIL	
MS OR MSD	COMPOUND	% R	RPD	QC LIMITS	ACTION
_MS	ACETONE	236		12189	Qualify_result_(J) in_sample
					JA98695-2

Note: MS/MSD recoveries and RPD within laboratory control limits.

- * QC limits are laboratory in-house performance criteria, LL = lower limit, UL = upper limit.
- * If QC limits are not available, use limits of 70 130 %.

Actions:

QUALITY	%R < LL	%R > UL
Positive results	J	J
Nondetects results	R	Accept

MS/MSD criteria apply only to the unspiked sample, its dilutions, and the associated MS/MSD samples:

If the % R for the affected compounds were < LL (or 70 %), qualify positive results (J) and nondetects (UJ).

If the % R for the affected compounds were > UL (or 130 %), only qualify positive results (J).

If 25 % or more of all MS/MSD %R were < LL (or 70 %) or if two or more MS/MSD %Rs were < 10%, qualify all positive results (J) and reject nondetects (R).

A separate worksheet should be used for each MS/MSD pair.

All criteria were metX
Criteria were not met
and/or see below

VII. B MATRIX SPIKE/MATRIX SPIKE DUPLICATE

MS/MSD – Unspiked Compounds

It should be noted that Region 2 SOP HW-24 does not specify a MS/MSD criteria for the unspiked compounds in the sample. A %RSD of < 50% has therefore been utilized as professional judgment.

If all target analytes were spiked in the MS/MSD, this review element is not applicable.

List the %RSD of the compounds which do not meet the criteria.

Sample ID:	***************************************	Matrix/Level/Unit:			
COMPOUND	SAMPLE CONC.	MS CONC.	MSD CONC.	% RSD	ACTION
	· · · · · · · · · · · · · · · · · · ·				
				· ·	

Actions:

^{*} If the % RSD > 50, qualify the positive result in the unspiked samples as estimated (J).

^{*} If the % RSD is not calculated (NC) due to nondetected value, use professional judgment to qualify the data.

All criteria were metX
Criteria were not met
and/or see below

VIII. LABORATORY CONTROL SAMPLE (LCS) ANALYSIS

This data is generated to determine accuracy of the analytical method for various matrices.

1. LCS Recoveries Criteria

Where LCS spiked with the same analyte at the same concentrations as the MS/MSD? Yes or No. If no make note in data review memo.

List the %R of compounds which do not meet the criteria

	LCS ID	COMPOUND	% R	QC LIMIT
Recoverie	s_within_labora	tory_control_limits		

- * QC limits are laboratory in-house performance criteria, LL = lower limit, UL = upper limit.
- * If QC limits are not available, use limits of 70 130 %.

Actions:

QUALITY	%R < LL	%R > UL
Positive results	J	J
Nondetects results	R	Accept

All analytes in the associated sample results are qualified for the following criteria.

If 25 % of the LCS recoveries were < LL (or 70 %), qualify all positive results (j) and reject nondetects (R).

If two or more LCS were below 10 %, qualify all positive results as (J) and reject nondetects (R).

2. Frequency Criteria:

Where LCS analyzed at the required frequency and for each matrix? <u>Yes</u> or No. If no, the data may be affected. Use professional judgment to determine the severity of the effect and qualify data accordingly. Discuss any actions below and list the samples affected.

IX. LABORATORY DUPLICATE PRECISION

Sample IDs:	JA98956-8	Matrix:_SOIL

Laboratory duplicates samples may be taken and analyzed as an indication of overall precision. These analyses measure both field and lab precision; therefore, the results may have more variability than laboratory duplicates which only laboratory performance. It is also expected that soil duplicate results will have a greater variance than water matrices due to difficulties associated with collecting identical field duplicate samples.

The project QAPP should be reviewed for project-specific information. Suggested criteria: RPD \pm 30% for aqueous samples, RPD \pm 50 % for solid samples. If both samples and duplicate are <5 SQL, the RPD criteria is doubled.

SQL	SAMPLE CONC.	DUPLICATE CONC.	RPD	ACTION
			-	
RPI) D within laboratory a	nd generally acceptable	control l	imits
			<u> </u>	
				RPD within laboratory and generally acceptable control I

Actions:

Qualify as estimated positive results (J) and nondetects (UJ) for the compound that exceeded the above criteria. For organics, only the sample and duplicate will be qualified.

If an RPD cannot be calculated because one or both of the sample results is not detected, the following actions apply:

If one sample result is not detected and the other is greater than 5x the SQL qualify (J/UJ).

If one sample value is not detected and the other is greater than 5x the SQL and the SQLs for the sample and duplicate are significantly different, use professional judgment to determine if qualification is appropriate.

If one sample value is not detected and the other is less than 5x, use professional judgment to determine if qualification is appropriate.

If both sample and duplicate results are not detected, no action is needed.

All criteria were metX
Criteria were not met
and/or see below

X. INTERNAL STANDARD PERFORMANCE

The assessment of the internal standard (IS) parameter is used to assist the data reviewer in determining the condition of the analytical instrumentation.

List the internal standard area of samples which do not meet the criteria.

- * Area of +100% or -50% of the IS area in the associated calibration standard.
- * Retention time (RT) within 30 seconds of the IS area in the associated calibration standard.

DATE	SAMPLE ID	IS OUT	IS AREA	ACCEPTABLE RANGE	ACTION	
_Internal_st	_Internal_standard_area_within_laboratory_control_limits					

				· · · · · · · · · · · · · · · · · · ·		
Actions:						

1. IS actions should be applied to the compound quantitated with the out-of-control ISs

QUALITY	IS AREA < -25%	IS AREA = -25 %	IS AREA > + 100%
		TO - 50%	
Positive results	J	J	J
Nondetected results	R	UJ	ACCEPT

If a IS retention time varies more than 30 seconds, the chromatographic profile for that sample must be examined to determine if any false positive or negative exists. For shifts of a large magnitude, the reviewer may consider partial or total rejection of the data for the sample fraction.

All criteria were met __X__ Criteria were not met and/or see below ____

XII. SAMPLE QUANTITATION

The sample quantitation evaluation is to verify laboratory quantitation results. In the space below, please show a minimum of one sample calculation:

JA98695-2

Acetone

RF = 0.027

[] = (5389)(50)/(358489)(0.027)

= 27.8 ppb OK

XII.	QUANTI	TATION LIMITS	
A.	Dilution p	performed	
SAMP	LE ID	DILUTION FACTOR	REASON FOR DILUTION
B.	Percent S	Solids ples which have ≤ 50 %	solids
Actions		solids of a soil sample is	s 10-50%, estimate positive results (J) and nondetects (UJ)
	If the % s	solids of a soil sample is	s < 10%, estimate positive results (J) and reject nondetects

All criteria were met __X__ Criteria were not met and/or see below ____